



SADRŽAJ

	Strana
 SPOJNICE CONNECTO	5-6
 KAPAJUĆA TRAKE	7
 KAPAJUĆA CREVA	7
 IZVODNICE	7-8
 PE CREVA, LAYFLAT, MIKRO CREVA	9
 VENTILI	9
 OBUJMICE	10
 FILTERI	10
 SPOJNICE	11-12
 KAPLJAČI, RASPRSKIVAČI	13
 PRIBOR	14
 FERTIRIGACIJA	15
 GARDEN	16-17

Preporučene dužine linija sa nivoom uniformnosti protoka od 90% na ravnim terenima

P1™

		Ø16 mm					Ø22 mm					Ø25 mm					Ø29 mm				
		lit/h					lit/h					lit/h					lit/h				
		0.80	1.10	1.50	2.10	3.80	0.80	1.10	1.50	2.10	3.80	0.80	1.10	1.50	2.10	3.80	0.80	1.10	1.50	2.10	3.80
Razmak cm	20	172	143	115	93	65	172	143	115	93	65	172	143	115	93	65	172	143	115	93	65
	30	223	185	148	121	85	223	185	148	121	85	223	185	148	121	85	223	185	148	121	85
	40	268	222	178	145	102	268	222	178	145	102	268	222	178	145	102	268	222	178	145	102
	50	308	256	205	167	117	308	256	205	167	117	308	256	205	167	117	308	256	205	167	117
	60	346	287	230	188	131	346	287	230	188	131	346	287	230	188	131	346	287	230	188	131
	75	399	331	266	217	151	399	331	266	217	151	399	331	266	217	151	399	331	266	217	151
	100	479	397	319	260	182	479	397	319	260	182	479	397	319	260	182	479	397	319	260	182
Radni pritisak 1 bar																					

iSiplastTape™

		Ø16 mm			Ø22 mm		
		lit/h			lit/h		
		0.60	0.90	1.20	0.60	0.90	1.20
Razmak cm	10		91	75		160	131
	15		116	101		204	177
	20	178	142	117	312	249	208
	30	230	181	153	404	316	268
	40	277	221	185	484	388	324
Radni pritisak 1 bar							

Junior™

		Ø16 mm			Ø22 mm
		lit/h			lit/h
		1.60	2.10	3.60	1.60
Razmak cm	20	82	69	49	130
	30	108	91	64	170
	40	131	110	78	205
	50	152	128	90	237
	60	171	144	101	267
	75	198	166	117	308
	100	239	200	141	371
	125	276	231	163	425
	150	310	260	184	477
Radni pritisak 1 bar					

Tandem™

		Ø16 mm				Ø20 mm			
		lit/h				lit/h			
		1.50	2.10	4.00	8.00	1.70	2.20	3.80	7.00
Razmak cm	20	65	54	37	24	95	81	63	41
	30	91	75	51	33	131	111	87	56
	40	113	94	64	41	163	139	108	70
	50	134	111	75	48	193	164	128	82
	60	153	127	86	55	220	187	146	94
	75	180	149	101	65	258	219	171	110
	100	221	183	124	80	315	268	209	134
	125	259	216	144	93	368	316	243	155
	150	292	244	164	106	416	357	275	176
Radni pritisak 1 bar									

Multibar™

		Ø16 mm				Ø20 mm			
		lit/h				lit/h			
		1.60	2.10	2.90	3.80	1.60	2.10	2.90	3.80
Razmak cm	20	90	77	62	53	170	141	115	98
	30	130	111	89	76	238	198	162	138
	40	167	143	114	97	301	250	204	173
	50	202	173	138	118	368	297	242	206
	60	235	201	160	137	411	342	279	237
	75	282	241	192	164	486	404	329	280
	100	354	303	241	206	600	498	406	346
	125	423	369	287	244	702	583	477	401
	150	485	412	329	280	796	663	542	455
Radni pritisak 1 bar									

201

ŠIFRA	DIMENZIJA	PAK.
4820120F0N16B	16X½"	20/240
4820120F0N16C	16X¾"	20/220
4820120F0N20B	20X½"	20/240
4820120F0N20C	20X¾"	20/220
4820120F0N25B	25X½"	10/300
4820120F0N25C	25X¾"	10/300
4820120F0N25D	25x1"	10/300
4820120F0N32C	32X¾"	10/200
4820120F0N32D	32X1"	10/180
4820120F0N40E	40X1¼"	05/100
4820120F0N50F	50X1½"	05/65
4820120F0N50G	50X2"	05/60
4820120F0N63G	63X2"	05/35
4820120F0N75G	75X2"	01/18
4820120F0N75H	75X2½"	01/15
4820120F0N90I	90X3"	01/12
4820120F0N11I	110X3"	01/06
4820120F0N11L	110X4"	01/06

210

ŠIFRA	DIMENZIJA	PAK.
482102000N160	16X16	20/160
482102000N200	20X20	20/160
482102000N250	25X25	10/200
482102000N320	32X32	10/120
482102000N400	40X40	05/65
482102000N500	50X50	05/40
482102000N630	63X63	05/25
482102000N750	75X75	01/10
482102000N900	90X90	01/07
482102000N110	110X110	01/06

211

ŠIFRA	DIMENZIJA	PAK.
48211M0N16B	16X½"	20/240
48211M0N16C	16X¾"	20/240
48211M0N20B	20X½"	20/240
48211M0N20C	20X¾"	20/240
48211M0N25B	25X½"	10/300
48211M0N25C	25X¾"	10/300
48211M0N25D	25x1"	10/300
48211M0N32C	32X¾"	10/180
48211M0N32D	32X1"	10/180
48211M0N40E	40X1¼"	05/100
48211M0N50F	50X1½"	05/70
48211M0N50G	50X2"	05/60
48211M0N63G	63X2"	05/40
48211M0N75H	75X2½"	01/18
48211M0N90I	90X3"	01/12
48211M0N11L	110X4"	01/06

REDUCIR SPOJNICA

212

ŠIFRA	DIMENZIJA	PAK.
482122000N20A	20X16	20/160
482122000N25B	25X20	10/240
482122000N32C	32X25	10/140
482122000N40D	40X32	05/90
482122000N50E	50X40	05/50
482122000N63F	63X50	05/30
482122000N75G	75X63	01/15
482122000N90G	90X63	01/10
482122000N90H	90X75	01/08
482122000N11I	110X90	01/06

LAKAT SPOJNICA

213

ŠIFRA	DIMENZIJA	PAK.
482132000N160	16X16	20/140
482132000N200	20X20	20/140
482132000N250	25X25	10/180
482132000N320	32X32	10/100
482132000N400	40X40	05/60
482132000N500	50X50	05/35
482132000N630	63X63	05/20
482132000N750	75X75	01/08
482132000N900	90X90	01/05
482132000N110	110X110	01/04

T-SPOJNICA

214

ŠIFRA	DIMENZIJA	PAK.
482142000N160	16X16X16	20/80
482142000N200	20X20X20	20/80
482142000N250	25X25X25	10/100
482142000N320	32X32X32	10/60
482142000N400	40X40X40	05/40
482142000N500	50X50X50	05/20
482142000N630	63X63X63	04/12
482142000N750	75X75X75	01/05
482142000N900	90X90X90	01/03
482142000N110	110X110X110	01/02

T-SPOJNICA SA UN

215

ŠIFRA	DIMENZIJA	PAK.
4821520F0N20B	20X½"X20	20/100
4821520F0N20C	20X¾"X20	20/100
4821520F0N25B	25X½"X25	10/150
4821520F0N25C	25X¾"X25	10/130
4821520F0N25D	25X1"X25	10/130
4821520F0N32C	32X¾"X32	10/80
4821520F0N32D	32X1"X32	10/80
4821520F0N40E	40X1¼"X40	05/45
4821520F0N50F	50X1½"X50	05/25
4821520F0N50G	50X2"X50	05/25
4821520F0N63G	63X2"X63	04/12

T-SPOJNICA SA SN

216

ŠIFRA	DIMENZIJA	PAK.
4821620M0N20B	20X½"X20	20/100
4821620M0N20C	20X¾"X20	20/100
4821620M0N25B	25X½"X25	10/160
4821620M0N25C	25X¾"X25	10/120
4821620M0N25D	25X1"X25	10/120
4821620M0N32C	32X¾"X32	10/80
4821620M0N32D	32X1"X32	10/80
4821620M0N40E	40X1¼"X40	05/45
4821620M0N50F	50X1½"X50	05/25
4821620M0N63G	63X2"X63	04/12

LAKAT SPOJNICA SA UN

218

ŠIFRA	DIMENZIJA	PAK.
4821820F0N20B	20X½"	20/160
4821820F0N20C	20X¾"	20/160
4821820F0N25B	25X½"	10/240
4821820F0N25C	25x¾"	10/240
4821820F0N25D	25x1"	10/200
4821820F0N32C	32X¾"	10/160
4821820F0N32D	32X1"	10/160
4821820F0N40E	40X1¼"	05/80
4821820F0N50F	50X1½"	05/50
4821820F0N50G	50X2"	05/45
4821820F0N63G	63X2"	05/20

T-SPOJNICA SA SN

219

ŠIFRA	DIMENZIJA	PAK.
4821920M0N20B	20X½"	20/240
4821920M0N20C	20X¾"	20/240
4821920M0N25B	25X½"	10/250
4821920M0N25C	25x¾"	10/250
4821920M0N25D	25x1"	10/240
4821920M0N32C	32X¾"	10/160
4821920M0N32D	32X1"	10/160
4821920M0N40E	40X1¼"	05/80
4821920M0N50F	50X1½"	05/50
4821920M0N63G	63X2"	05/25

ZAVRŠNI ELEMENT

221

ŠIFRA	DIMENZIJA	PAK.
482212000N160	16	20/300
482212000N200	20	20/300
482212000N250	25	10/400
482212000N320	32	10/220
482212000N400	40	05/100
482212000N500	50	05/80
482212000N630	63	05/45
482212000N750	75	01/20
482212000N900	90	01/12
482212000N110	110	01/06

T-REDUCIR SPOJNICA

224

ŠIFRA	DIMENZIJA	PAK.
482242000N32C	32X25X32	10/70
482242000N40D	40X32X40	05/45
482242000N50E	50X40X50	05/20
482242000N63F	63X50X63	04/12

LAKAT IZVODNICA ZA POP UP

222

ŠIFRA	DIMENZIJA	PAK.
4822220F0N25B	25X25X½"	10/160
4822220F0N32C	32X32X¾"	10/100

KAPAJUĆA TRAKA
ITAPE
irriway



ŠIFRA	DIMENZIJA	PAK.
28I50510H1L	130mic,10cm	3962m
28I50610H1L	150mic,10cm	3050m
28I50610H1XC4	150mic,10cm	3050m
28I5062053L	150mic,20cm	3050m
28I50810H1L	200mic,10cm	2300m

KAPAJUĆA TRAKA

SAB



ŠIFRA	DIMENZIJA	PAK.
28I5061175L	150mic,11cm	3048m

KAPAJUĆA TRAKA

P1



ŠIFRA	DIMENZIJA	PAK.
14FY0602012	150mic,20cm	2800m
14FN180301A	450mic,30cm	1100m

KAPAJUĆA CREVO JUNIOR

JU



ŠIFRA	DIMENZIJA	PAK.
10JA440201M	Ø16 20cm	400
10JA440301M	Ø16 30cm	400
10JA440401M	Ø16 40cm	400
10JA440501M	Ø16 50cm	400
10JA440601M	Ø16 60cm	400

KAPAJUĆA CREVO TANDEM

TD



ŠIFRA	DIMENZIJA	PAK.
10TA440502M	Ø16 50cm	400
10TA440602M	Ø16 60cm	400
10TA440752M	Ø16 75cm	400
10TB470502L	Ø20 50cm	300
10TB471002L	Ø20 100cm	300

KAPAJUĆE CREVO MULTIBAR

MB



ŠIFRA	DIMENZIJA	PAK.
12MA440302M	Ø16 30cm	400
12MA440502M	Ø16 50cm	400
12MA441002M	Ø16 100cm	400
12MB470502L	Ø20 50cm	300
12MB471002L	Ø20 100cm	300

IZVODNICA ZA KAPAJUĆE TRAKE
SA UGRAĐENOM GUMICOM

853



ŠIFRA	DIMENZIJA	PAK.
588535000N00T	16	100/1400

IZVODNICA ZA KAPAJUĆE TRAKE Ø16

863



ŠIFRA	DIMENZIJA	PAK.
588635000N00T	16	100/1000

IZVODNICA ZA KAPAJUĆE TRAKE Ø14

855



ŠIFRA	DIMENZIJA	PAK.
588555000N00T	16	100/800

IZVODNICA ZA KAPAJUĆE TRAKE/LAYFLAT

866



ŠIFRA	DIMENZIJA	PAK.
588665000N00T	16	100/1000

IZVODNICA ZA KAPAJUĆA CREVA

842



ŠIFRA	DIMENZIJA	PAK.
5884230M0N16B	16X½"	100/600
5884230M0N16C	16X¾"	100/500
5884230M0N20B	20X½"	100/500
5884230M0N20C	20X¾"	100/400

IZVODNICA ZA KAPAJUĆA CREVA

843



ŠIFRA	DIMENZIJA	PAK.
588433000N160	16	100/900
588433000N200	20	100/600

NASTAVAK ZA KAPAJUĆA CREVA

840



ŠIFRA	DIMENZIJA	PAK.
588403000N160	16	100/500
588403000N200	20	100/400

NASTAVAK ZA KAPAJUĆA CREVA

841



ŠIFRA	DIMENZIJA	PAK.
588412000N160	16	100/3600
588412000N200	20	100/2000

NASTAVAK ZA KAPAJUĆE TRAKE

850



ŠIFRA	DIMENZIJA	PAK.
588505000N00T	16	100/800

ČEP Ø16

TRU



ŠIFRA	DIMENZIJA	PAK.
58TRU2000N000	16	500/4000

NAPOMENA: Koristi se sa gumicom GOP170

ČEP Ø14

TCU



ŠIFRA	DIMENZIJA	PAK.
58TCU3000N000	14	500/5000

NAPOMENA: Ima ugrađenu gumicu

REZERVNE GUMICE

GOP



ŠIFRA	DIMENZIJA	PAK.
58GOP00000000	14	1
58GOP00000170	16	1

IZVODNICA ZA LAYFLAT Ø14

DLF



ŠIFRA	DIMENZIJA	PAK.
58DLF20F0N250	F ¾"	50/1000

NAPOMENA: Koristi se u kompletu sa Art. VMT

IZVODNICA SA VENTILOM ZA KAP.TRAKU

VMT



ŠIFRA	DIMENZIJA	PAK.
58VMT20M0N20T	M ½"	50/250
58VMT20M0N25T	M ¾"	50/250

IZVODNICA SA VENTILOM ZA KAP.TRAKU
LAYFLAT

VLT

ŠIFRA	DIMENZIJA	PAK.
58VLT2700N00T	16	50/300

ČEP ZA RUPE Ø14 NA LAYFLAT CREVU

TLF



ŠIFRA	DIMENZIJA	PAK.
58TLF20D0N200	14mm	50/700

IZVODNICA SA VENTILOM ZA KAP.TRAKE

VNT



ŠIFRA	DIMENZIJA	PAK.
58VNT2700N00T	16	50/250

NASTAVAK SA VENTILOM ZA KAP.TRAKE

VTT



ŠIFRA	DIMENZIJA	PAK.
58VTT2700N00T	16	50/250

IZVODNICA SA VENTILOM ZA KAP.TRAKE

VRT



ŠIFRA	DIMENZIJA	PAK.
58VRT2700N00T	16	50/300

IZVODNICA SA VENTILOM ZA KAP.CREVO

VDA



ŠIFRA	DIMENZIJA	PAK.
58VDA2700N160	16	50/300
58VDA2700N200	20	50/300

NASTAVAK SA VENTILOM ZA KAP.CREVO

VPP



ŠIFRA	DIMENZIJA	PAK.
58VPP2700N160	16	50/300
58VPP2700N200	20	50/300

IZVODNICA SA VENTILOM ZA KAP.CREVO

VMA



ŠIFRA	DIMENZIJA	PAK.
58VMA27M0N16B	16X½"	50/300
58VMA27M0N16C	16X¾"	50/300
58VMA27M0N20B	20X½"	50/250
58VMA27M0N20C	20X¾"	50/250

NASTAVAK SA VENTILOM ZA PE CREVO

VEE



ŠIFRA	DIMENZIJA	PAK.
58VEE2700N160	16X16	50/250
58VEE2700N200	20X20	50/200

MIKROCREVO

200



ŠIFRA	DIMENZIJA	PAK.
22005530ML	5X3	400met.
22006040MI	6X4	200met.
22008050MG	8X5	150met.

KAPILARNO CREVO

320



ŠIFRA	DIMENZIJA	PAK.
22B03210MN	3,2X1,0	500met.

PE CREVO NISKE GUSTINE PN4

PEBD



ŠIFRA	DIMENZIJA	PAK.
18R01604N	Ø 16	500met.
18R02004L	Ø 20	300met.
18R02504L	Ø 25	200met.
18R03204L	Ø 32	200met.

LAYFLAT CREVO 4,5 Bar

FL 4



ŠIFRA	DIMENZIJA	PAK.
24000LFL050BF	50mm (2")	50/100
24000LFL065BF	65mm (2½")	50/100
24000LFL075BF	77mm (3")	50/100

LAYFLAT CREVO 3,5 Bar

FL 3



ŠIFRA	DIMENZIJA	PAK.
24000LFL050PF	50mm (2")	50/100
24000LFL075PF	77mm (3")	50/100

PE CREVO NISKE GUSTINE PN6

PEBD



ŠIFRA	DIMENZIJA	PAK.
18R02006L	Ø 20	300met.
18R02506L	Ø 25	200met.
18R03206L	Ø 32	200met.

VENTIL SUN

3MF



ŠIFRA	DIMENZIJA	PAK.
343MF11D0N250	¾"	60
343MF11D0N320	1"	60
343MF11D0N400	1¼"	40
343MF11D0N500	1½"	25
343MF11D0N630	2"	13

VENTIL UN

3FF



ŠIFRA	DIMENZIJA	PAK.
343FF11F0N250	¾"	60
343FF11F0N320	1"	60
343FF11F0N400	1¼"	45
343FF11F0N500	1½"	25
343FF11F0N630	2"	13

PVC VENTIL UN

301



ŠIFRA	DIMENZIJA	PAK.
341V30175000	2½"	4
341V30190000	3"	4
341V30111000	4"	2

VENTIL ZA FILTER

SFP



ŠIFRA	DIMENZIJA	PAK.
34SFP51F0N16C	16X¾"	50/300

VENTIL SUN

RFM



ŠIFRA	DIMENZIJA	PAK.
34RFM27D0N250	¾"X¾"	50/150

VENTIL UN

RME



ŠIFRA	DIMENZIJA	PAK.
34RME27M0N20C	20X¾"	50/150
34RME27M0N25C	25X¾"	50/150

103

ŠIFRA	DIMENZIJA	PAK.
3210320F0N20B	20X½"	150
3210320F0N25B	25X½"	130
3210320F0N25C	25X¾"	130
3210320F0N32B	32X½"	90
3210320F0N32C	32X¾"	90
3210320F0N32D	32X1"	70
3210320F0N40B	40X½"	70
3210320F0N40C	40X¾"	70
3210320F0N40D	40X1"	70
3210320F0N50B	50X½"	60
3210320F0N50C	50X¾"	60
3210320F0N50D	50X1"	60
3210320F0N63B	63X½"	35
3210320F0N63C	63X¾"	35
3210320F0N63D	63X1"	35
3210320F0N63E	63X1¼"	35
3210320F0N63F	63X1½"	30
3210320F0N75B	75X½"	50
3210320F0N75C	75X¾"	50
3210320F0N75D	75X1"	50
3210320F0N75E	75X1¼"	40
3210320F0N75F	75X1½"	40
3210320F0N75G	75X2"	40
3210320F0N90B	90X½"	40
3210320F0N90C	90X¾"	40
3210320F0N90D	90X1"	40
3210320F0N90E	90X1¼"	40
3210320F0N90F	90X1½"	40
3210320F0N90G	90X2"	35
3210320F0N11D	110X1"	30
3210320F0N11E	110X1¼"	30
3210320F0N11F	110X1½"	30
3210320F0N11G	110X2"	30

YDV

ŠIFRA	DIMENZIJA	PAK.
36YDVCPLM2CON	¾"	5
36YDVCPLM2CON	1"	5

YEV

ŠIFRA	DIMENZIJA	PAK.
36YEVEILM2CON	1¼"	10
36YEVFILM2CON	1½"	10

YFV

ŠIFRA	DIMENZIJA	PAK.
36YFVFILM2CON	1½"	20
36YFVGILM2CON	2"	20
36YFVGILM2CON	2" DISK	20

YHG

ŠIFRA	DIMENZIJA	PAK.
36YHGGDLM2CON	2" DISK	25
36YHGIDLM2CON	3" DISK	50

THF

ŠIFRA	DIMENZIJA	PAK.
36THFIDLM2FON	3" DISK	50

EIV

ŠIFRA	DIMENZIJA	PAK.
52EIV20H219	2"	25
52EIV30H219	3"	50

FMP

ŠIFRA	DIMENZIJA	PAK.
36FMD20000I12	¾"-1"	1
36FME20000I12	1¼"-1½"	1
36FMF20000I12	1½"-2"	1
36FMF20000D12	1½"-2" disk	1
36FMH5000DI12	3" disk	1

NIPLI

607

ŠIFRA	DIMENZIJA	PAK.
3060720M0N200	½"X½"	100/2400
3060720M0N250	¾"X¾"	100/1400
3060720M0N320	1"X1"	50/800
3060720M0N400	1¼"X1¼"	50/400
3060720M0N500	1½"X1½"	20/300
3060720M0N630	2"X2"	10/180
3060720M0N750	2½"X2½"	01/100
3060720M0N900	3"X3"	01/60
3060720M0N110	4"X4"	01/40

NIPLI REDUCIR

619

ŠIFRA	DIMENZIJA	PAK.
3061920M0N25B	¾"X½"	100/1500
3061920M0N32C	1"X¾"	100/800
3061920M0N40D	1¼"X1"	50/400
3061920M0N50E	1½"X1¼"	20/340
3061920M0N63F	2"X1½"	10/220

MUF

620

ŠIFRA	DIMENZIJA	PAK.
3062020F0N200	½"X½"	100/1200
3062020F0N250	¾"X¾"	100/700
3062020F0N320	1"X1"	50/400
3062020F0N400	1¼"X1¼"	25/250
3062020F0N500	1½"X1½"	20/200
3062020F0N630	2"X2"	10/100
3062020F0N750	2½"X2½"	01/70
3062020F0N900	3"X3"	01/50
3062020F0N110	4"X4"	1

MUF REDUCIR

621

ŠIFRA	DIMENZIJA	PAK.
3062120F0N25B	¾"X½"	100/800
3062120F0N32C	1"X¾"	50/500
3062120F0N40D	1¼"X1"	25/250
3062120F0N50E	1½"X1¼"	20/200
3062120F0N63F	2"X1½"	10/140
3062120F0N75G	2½"X2"	01/80
3062120F0N90H	3"X2½"	01/60
3062120F0N11L	4"X3"	01

SU REDUCIR

623

ŠIFRA	DIMENZIJA	PAK.
3062320D0N25B	¾"X½"	100/2000
3062320D0N32B	1"X½"	50/1100
3062320D0N32C	1"X¾"	50/1100
3062320D0N40D	1¼"X1"	50/600
3062320D0N50E	1½"X1¼"	20/540
3062320D0N63D	2"X1"	10/300
3062320D0N63E	2"X1¼"	10/300
3062320D0N63F	2"X1½"	10/300
3062320D0N75G	2½"X2"	01/140
3062320D0N90G	3"X2"	01/100
3062320D0N90H	3"X2½"	01/100
3062320D0N11I	4"X3"	01

US REDUCIR

625

ŠIFRA	DIMENZIJA	PAK.
3062520D0N20C	½"X¾"	100/800
3062520D0N20D	½"X1"	50/500
3062520D0N25D	¾"x1"	50/500
3062520D0N25E	¾"x1¼"	25/250
3062520D0N25F	¾"x1½"	20/240
3062520D0N25G	¾"x2"	10/140
3062520D0N32E	1"x1¼"	25/300
3062520D0N32F	1"x1½"	20/240
3062520D0N32G	1"X2"	10/150
3062520D0N40F	1¼"X1½"	20/240
3062520D0N40G	1¼"X2"	10/160
3062520D0N50G	1½"X2"	05/110

LAKAT SPOJNICA UN

626

ŠIFRA	DIMENZIJA	PAK.
3062620F0N200	½"X½"	100/800
3062620F0N250	¾"X¾"	100/500
3062620F0N320	1"X1"	50/300
3062620F0N400	1¼"X1¼"	10/150
3062620F0N500	1½"X1½"	10/120
3062620F0N630	2"X2"	10/70
3062620F0N750	2½"X2½"	01/36
3062620F0N900	3"X3"	01/18

LAKAT SPOJNICA SUN

627

ŠIFRA	DIMENZIJA	PAK.
3062720D0N200	½"X½"	100/800
3062720D0N250	¾"X¾"	50/500
3062720D0N320	1"X1"	25/300

T-SPOJNICA UN

630

ŠIFRA	DIMENZIJA	PAK.
3063020F0N200	½"X½"X½"	50/500
3063020F0N250	¾"X¾"X¾"	50/300
3063020F0N320	1"X1"X1"	25/200
3063020F0N400	1¼"X1¼"X1¼"	10/100
3063020F0N500	1½"X1½"X1½"	10/80
3063020F0N630	2"X2"X2"	05/40
3063020F0N750	2½"X2½"X2½"	01/24
3063020F0N900	3"X3"X3"	01/16

SPOJNICA SA UN PN4

801

ŠIFRA	DIMENZIJA	PAK.
3080120F0N20B	20X½"	50/300
3080120F0N20C	20X¾"	50/250

EGAL SPOJNICA PN4

810

ŠIFRA	DIMENZIJA	PAK.
308102000N160	16X16	50/400
308102000N200	20X20	50/250

SPOJNICA SA SN PN4

811

ŠIFRA	DIMENZIJA	PAK.
3081120M0N16B	16X½"	50/500
3081120M0N16C	16X¾"	50/500
3081120M0N20B	20X½"	50/350
3081120M0N20C	20X¾"	50/350

REDUCIR SPOJNICA PN4

812

ŠIFRA	DIMENZIJA	PAK.
308122000N20A	20X16	50/300
308122000V25B	25X20	50/250

ZAVRŠNI ELEMENT PN4

813

ŠIFRA	DIMENZIJA	PAK.
308132000N160	16	50/800
308132000N200	20	50/450

LAKAT SPOJNICA PN4

823

ŠIFRA	DIMENZIJA	PAK.
308232000N160	16X16	50/350
308232000N200	20X20	50/300

SPOJNICA SA SN

602

ŠIFRA	DIMENZIJA	PAK.
3060250M0N16B	16X½"	100/2000
3060250M0N16C	16X¾"	100/1400
3060250M0N20B	20X½"	100/1800
3060250M0N20C	20X¾"	100/1200

REDUCIR SPOJNICA

603

ŠIFRA	DIMENZIJA	PAK.
306035000N20A	20X16	100/1000

EGAL SPOJNICA

604

ŠIFRA	DIMENZIJA	PAK.
306042000N160	16X16	100/2400
306045000N200	20X20	100/1600

LAKAT SPOJNICA

640

ŠIFRA	DIMENZIJA	PAK.
306405000N160	16X16	100/2500
306405000N200	20X20	100/1600
306405000N250	25X25	100/600

T-SPOJNICA

606

ŠIFRA	DIMENZIJA	PAK.
306062000N160	16X16X16	100/2000
306062000N200	20X20X20	100/1000
306065000N250	25X25X25	50/500
306065000N320	32X32X32	25/250

ČEP SA SN

610

ŠIFRA	DIMENZIJA	PAK.
3061020M0N200	½"	100/3000
3061020M0N250	¾"	100/2000
3061020M0N320	1"	50/1000

ČEP

600

ŠIFRA	DIMENZIJA	PAK.
306002000N160	16	100/2500
306002000N200	20	100/1600

SPOJNICA SA SN ZA LAYFLAT

782

ŠIFRA	DIMENZIJA	PAK.
3078220M0A52G	50X2"	1
3078220M0A65H	65X2½"	1
3078220M0A77I	77X3"	1

EGAL SPOJNICA ZA LAYFLAT

784

ŠIFRA	DIMENZIJA	PAK.
307842000A520	52X52	1
307842000A650	65X65	1
307842000A770	77X77	1

KAPLJAČ

DNG

ŠIFRA	DIMENZIJA	PAK.
38DNG2000A020	2 lit/h	500
38DNG2000A040	4 lit/h	500
38DNG2000A080	8 lit/h	500

KOMPENZUJUĆI KAPLJAČ DROP STOP

DCS

ŠIFRA	DIMENZIJA	PAK.
38DCS2H00A020	2 lit/h	500
38DCS2H00V040	4 lit/h	500
38DCS2H00R080	8 lit/h	500

CIGARA KAPLJAČ

DMS

ŠIFRA	DIMENZIJA	PAK.
38DMS2000N040	4 lit/h	500

RAZDELNIK ZA MIKROCREVO

MO

ŠIFRA	DIMENZIJA	PAK.
38MO12000N030	3 mm	50/20000
38MO22000N030	3 mm	500/14000
38MO42000N030	3 mm	500/10000
38MV42000N030	3 mm	500/7000

RAZDELNIK ZA KAPILARNO CREVO

MC

ŠIFRA	DIMENZIJA	PAK.
38MC22000A032	3,2 mm	500/3000
38MC42000V032	3,2 mm	500/3000

KOMPENZUJUĆI KAPLJAČ

DIA

ŠIFRA	DIMENZIJA	PAK.
38DIA2000N040	4 lit/h	500

UBODNI KAPLJAČ ZA MIKROCREVO

A26

ŠIFRA	DIMENZIJA	PAK.
38ASD2000N026	90°	250/4000
38AID2010N026	90°	250/1750

UBODNI KAPLJAČ ZA KAP. CREVO

A00

ŠIFRA	DIMENZIJA	PAK.
38AST2000N000	45°	800/3200
38AIC2000N000	45°	250/2000



MIKORASPRSKIVAČ

866

ŠIFRA	DIMENZIJA	PAK.
40866040	40 L/H	100
40866070	70 L/H	100
40866090	90 L/H	100
40866105	105 L/H	100
40866120	120 L/H	100

ANTIKAPAJUĆI VENTIL

530

ŠIFRA	DIMENZIJA	PAK.
4053005		100

PRIKLJUČAK ZA MIKROCREVO

715

ŠIFRA	DIMENZIJA	PAK.
407156000N050	Ø 5	500
407156000N065	Ø 6,5	500
407156000N070	Ø 7	500

EGAL PRIKLJUČAK

335

ŠIFRA	DIMENZIJA	PAK.
4010335		100

PRIKLJUČAK ŽENSKI

351

ŠIFRA	DIMENZIJA	PAK.
4010351		100

PRIKLJUČAK MUŠKI

364

ŠIFRA	DIMENZIJA	PAK.
4010364		100

DUPLI PRSTEN ZA KRAJ KAP.CREVA

AFL



ŠIFRA	DIMENZIJA	PAK.
58AFL2000N160	16	200/2400
58AFL2000N200	20	200/1600

NOSAČ KAPAJUĆEG CREVA

GRG



ŠIFRA	DIMENZIJA	PAK.
58GRG2000N160	16	500/6000
58GRG2000N200	20	200/4000

STABILIZATOR

ST



ŠIFRA	DIMENZIJA	PAK.
30B12090P100	9X12 100cm	1

PRIBOR ZA UBACIVANJE PRIKLIJČAKA

INS



ŠIFRA	DIMENZIJA	PAK.
42INS00000050	5/6	1
42INS00000070	7/8	1
4213015		1

KLEŠTA ZA BUŠENJE PE CREVA

PFU



ŠIFRA	DIMENZIJA	PAK.
42PFU00000320	Ø16,20(3 mm)	1
42PFU00000332	Ø25,32(3 mm)	1

BUŠAČ

FUS



ŠIFRA	DIMENZIJA	PAK.
42FUS2000N025	Ø2,5mm	1
42FUS2000N030	Ø3,0mm	1
42FUS2000N040	Ø4,0mm	1
42FUS2000N050	Ø5,0mm	1
42FUS2000N120	Ø12,0mm	1
42FUS2000N140	Ø14,0mm	1

MANOMETAR SA GLICERINOM

PGG



ŠIFRA	BAR	PAK.
30PGG00000060	6	1
30PGG00000100	10	1

REGULATOR PRITISKA

PRP



ŠIFRA	DIMENZIJA	PAK.
30PRP30D0N11C	¾" 1,1bar	1/125

VAZDUŠNI ODUŠAK

SSE



ŠIFRA	DIMENZIJA	PAK.
30SSEN0M0N32C	1"	1

KLEŠTA ZA PE CREVA

PNT



ŠIFRA	DIMENZIJA	PAK.
42PNT00000250	16-25	1
42PNT00000320	16-32	1

KAIŠ ZA STEZANJE SPOJNICA

CSE



ŠIFRA	DIMENZIJA	PAK.
42CSE20000R750	25-110	1

TEFLON TRAKA

NAS



ŠIFRA	DIMENZIJA	PAK.
42NAS00000120	½"X12X0.076	250
42NSP00000150	19X15X0,2	63

KEŠTA ZA LAYFLAT CREVA

FOR



ŠIFRA	DIMENZIJA	PAK.
42FOR00000140	14mm	1

IVE**DSM**

ŠIFRA	DIMENZIJA	PAK.
50IVP50M0V25B	¾"	1
50IVP50M0V32C	1"	1
50IVP50M0V50B	1½"	1
50KVP0000000C	¾"	1
50KVP000000DF	1"-1½"	1

ŠIFRA	DIMENZIJA	PAK.
50DSM000MND1	1% 6,6-2700	1
50DSM000MND5	5% 6,6-2700	1
50DSM000MND1010%	15-2280	1
50DSM0000S302	2,5% 30-6800	1
50DSM0000S305	5% 30-6800	1

SISTEMI ZA FERTIRIGACIJU

**DOSA BOX****DOSA PRO 2****SHAKER SEI**
FERTIGATION MIXER

- 2 DO 4 KANALA ZA FERTIRIGACIJU - 500L/H SVAKI

- 1 KANAL ZA KISELINU - 80 L/H

- 2/4 ZAPREMINSKA REGULACIONA VENTILA

- 2/4 MERAČA PROTOKA I MIKROMETARSKA VENTILA

- ELEKTRO PUMPA AISI 304

- PLOVAK ZA NIVO TEČNOSTI

- 50 L TANK ZA MEŠANJE

- EC I pH KONTROLA

- INTEGRISANI KONTROLNI PANEL

- STALAK OD NERĐAJUĆEG CELIKA

- ZAPREMINSKO ILI PROPORCIONALNO DOZIRANJE DVA RASTVORA ĐUBRIVA

- PODEŠAVANJE KOLIČINE RASTVORA ĐUBRIVA PO ZONAMA

- RUKOVOĐENJE DOZIRANJEM KISELINE (OPCIONALNO)

- 8 NEZAVISNIH PROGRAMA NAVODNJAVANJA. SVAKI PROGRAM RUKOVODI SA 64 ZONE (MODULI OD 8)

- DO 32 STARTA DNEVNO ZA SVAKI PROGRAM

- 1 PROGRAM RUKOVOĐEN SPOLJNIM SENZORIMA (VLAGA I TEMPERATURA)

- RUKOVOĐENJE ISPIRANJEM 2 AUTOMATSKA FILTERA PO PRINCIPU RAZLIKE U PRITISKU

- UPRAVLJANJE PUMPOM ILI MASTER VENILOM

- SENZOR ZA KIŠU I ALARM SENZORI (PRITISAK, PROTOK, ITD)

- DOZIRANJE OD 2 DO 4 RASTVORA U SETU (ZADATA EC VREDNOST)

- UBACIVANJE KISELINE ZA KOREKCIJU

- 8 RAZLIČITIH FORMULA FERTIRIGACIJE (POVEZANIH SA RAZLICITIM ZONAMA)

- 8 NEZAVISNIH PROGRAMA NAVODNJAVANJA. SVAKI PROGRAM RUKOVODI SA 64 ZONE (MODULI OD 8)

- DO 32 STARTA DNEVNO ZA SVAKI PROGRAM

- 1 PROGRAM RUKOVOĐEN SPOLJNIM SENZORIMA (VLAGA I TEMPERATURA)

- RUKOVOĐENJE ISPIRANJEM DO 4 AUTOMATSKA FILTERA PO PRINCIPU RAZLIKE U PRITISKU

- UPRAVLJANJE PUMPOM ILI MASTER VENILOM

- SENZOR ZA KIŠU I ALARM SENZORI (PRITISAK, PROTOK, ITD)

- RUKOVOĐENJE AGITATORIMA (MEŠACIMA)

- PODEŠAVANJE ISPIRANJA PRE I POSLE FERTIRIGACIJE

- SISTEM ZA AUTOMATSKI NASTAVAK POSLE PREKIDA

ELEKTROVENTIL

PGV

ŠIFRA	DIMENZIJA	PAK.
44PGV101JTB	1" UN	1
44PGV101JTMMB	1" SN	1
44PGV151B	1½" UN	1
44PGV201B	2" UN	1

NIPLI SA OR

407

ŠIFRA	DIMENZIJA	PAK.
4440720M0N320	1"X1"	50/300

NIPLI REDUCIR SA OR

419

ŠIFRA	DIMENZIJA	PAK.
4441920M0N32C	1"X¾"	50/300

EGAL SPOJNICA SUN SA OR

424

ŠIFRA	DIMENZIJA	PAK.
4442420D0N320	1X1	50/250

LAKAT SPOJNICA UN SA OR

426

ŠIFRA	DIMENZIJA	PAK.
4442620F0N320	1X1	50/150

LAKAT SPOJNICA SUN

427

ŠIFRA	DIMENZIJA	PAK.
4442720D0N320	1X1	50/150

T-SPOJNICA SUUN SA OR

431

ŠIFRA	DIMENZIJA	PAK.
4443120D0N320	1X1X1	50/100

KRST SUUN SA OR

433

ŠIFRA	DIMENZIJA	PAK.
4443320D0N320	1X1X1X1	50/100

SPOJNICA UN SA OR

425

ŠIFRA	DIMENZIJA	PAK.
4442520D0N32C	1"X25	50/250
4442520D0N32D	1"X32	50/250

POP UP STATIČNI

PS

ULTRA



ŠIFRA	DIMENZIJA	PAK.
44PSU0410A	10cm	3
44PSU0412A	10cm	3.7
44PSU0415A	10cm	4.6
44PSU0417A	10cm	5.2

POP UP ROTIRAJUĆI

PGP

ULTRA



ŠIFRA	DIMENZIJA	PAK.
44PGPADJ	10cm	6,7-15,8

LAKAT SPOJNICA UN SA OR

428

ŠIFRA	DIMENZIJA	PAK.
4442820D0N32C	1"X25	50/250
4442820D0N32D	1"X32	50/250

POP UP ROTIRAJUĆI

i25

ŠIFRA	DIMENZIJA	PAK.
44I2504B	10cm	12,2-21,6

POP UP ROTIRAJUĆI

i90

ŠIFRA	DIMENZIJA	PAK.
44I90ADV	8cm	20,4-27,4

PRODUŽETAK ZA POP UP

PRS

ŠIFRA	DIMENZIJA	PAK.
44PRS70M0N200	½"X½"	1
44PRS70M0N20C	½"X¾"	1
44PRS70M0N250	¾"X¾"	1

MP ROTATOR

MPR



ŠIFRA	DIMENZIJA	PAK.
44MP100090	90°-210°	2,5-4,6
44MP1000210	210°-270°	2,5-4,6
44MP1000360	360°	2,5-4,6
44MP200090	90°-210°	4,0-6,4
44MP2000210	210°-270°	4,0-6,4
44MP2000360	360°	4,0-6,4
44MP300090	90°-210°	6,7-9,1
44MP3000210	210°-270°	6,7-9,1
44MP3000360	360°	6,7-9,1

TELO ZA MP ROTATOR SA REG. PRITISKA I
ANTI-KAP. VENILOM

MP



ŠIFRA	DIMENZIJA	PAK.
44MPR4004CV	10cm	1

UBODNA SPOJNICA ŽENSKA

IDS



ŠIFRA	DIMENZIJA	PAK.
44IDS20M0V025	¾"	1
44IDS20M0V032	1"	1

LAKAT SPOJNICA ZA ANTITORZIONO
CREVO

GPP



ŠIFRA	DIMENZIJA	PAK.
44GPP30M0A20C	16X¾"	50/300
44GPP30M0A25C	20X¾"	50/300

UBODNA SPOJNICA MUŠKA

CHS



ŠIFRA	DIMENZIJA	PAK.
44CHS20M0N250	¾"	1

ANTITORZIONO CREVO

TPP



ŠIFRA	DIMENZIJA	PAK.
44D00B00J	16	30
44D00C00J	20	30

ŠAHTOVI

PCZ



ŠIFRA	DIMENZIJA	PAK.
44PCZ2000N01C	mini	1
44PCZ2000N02C	large	1
44PCZ2000N04R	standard	1
44PCZ2000N06R	jumbo	1

TAJMER

XCE



ŠIFRA	DIMENZIJA	PAK.
46XC401E	4 ZONE	1
46XC601E	6 ZONA	1
46XC801E	8 ZONA	1

SENZOR ZA KIŠU

TPP



ŠIFRA	DIMENZIJA	PAK.
44MINICLICK		1

Dizna	Pritisak bar	Radius met	Protok l/min
1,5	2.0	9.1	4.8
	2.5	9.4	5.4
	3.0	9.8	5.9
	3.5	9.8	6.4
	4.0	9.8	6.8
	4.5	9.4	7.2
2,0	2.0	10.1	5.8
	2.5	10.1	6.5
	3.0	10.4	7.2
	3.5	10.4	7.8
	4.0	10.4	8.3
	4.5	10.4	8.8
2,5	2.0	10.4	7.1
	2.5	10.7	8
	3.0	10.7	8.9
	3.5	10.7	9.7
	4.0	10.7	10.4
	4.5	10.7	11.1
3,0	2.0	10.7	9.1
	2.5	11.0	10.2
	3.0	11.6	11.4
	3.5	11.9	12.3
	4.0	11.9	13.2
	4.5	11.9	14.0
4,0	2	11.6	12.2
	2.5	11.9	13.6
	3	12.2	15.0
	3.5	12.2	16.2
	4	12.5	17.3
	4.5	12.5	18.3
5,0	2.0	11.6	15.2
	2.5	11.9	17.1
	3.0	12.8	19.0
	3.5	12.8	20.6
	4.0	12.8	22.1
	4.5	12.8	23.4
6,0	2	11.9	18.2
	2.5	12.2	20.4
	3	13.1	22.7
	3.5	13.1	24.5
	4	13.4	26.2
	4.5	13.4	27.9
8,0	2.0	11.9	24.3
	2.5	12.5	27.2
	3.0	13.4	30.2
	3.5	13.7	32.6
	4.0	14.0	34.8
	4.5	14.0	36.9



DIZNE STANDARD PS ULTRA

Radius 3,0 met Reg. ugla: 0°-360° Putanja: 15° Boja: Crvena	10A	Radius 3,7 met Reg. ugla: 0°-360° Putanja: 28° Boja: Zelena	12A	Radius 4,6 met Reg. ugla: 0°-360° Putanja: 28° Boja: Crna	15A	Radius 5,2 met Reg. ugla: 0°-360° Putanja: 28° Boja: Siva	17A
--	------------	--	------------	--	------------	--	------------

45°	1.0	2.1	0.63	2.7	0.81	3.4	1.19	4.7	1.54
	1.5	2.4	0.79	3.2	1.01	3.9	1.49	4.9	1.93
	2.0	3.0	0.92	3.7	1.18	4.6	1.75	5.2	2.26
	2.1	3.3	0.95	4.0	1.22	4.9	1.80	5.5	2.32
	2.5	3.5	1.04	4.2	1.34	5.2	1.98	5.7	2.55
90°	1.0	2.1	1.26	2.7	1.62	3.4	2.39	4.7	3.08
	1.5	2.4	1.57	3.2	2.02	3.9	2.89	4.9	3.85
	2.0	3.0	1.84	3.7	2.37	4.6	3.50	5.2	4.51
	2.1	3.3	1.89	4.0	2.43	4.9	3.59	5.5	4.63
	2.5	3.5	2.08	4.2	2.68	5.2	3.95	5.7	5.10
120°	1.0	2.1	1.68	2.7	2.16	3.4	3.18	4.7	4.11
	1.5	2.4	2.10	3.2	2.70	3.9	3.98	4.9	5.13
	2.0	3.0	2.46	3.7	3.16	4.6	4.66	5.2	6.01
	2.1	3.3	2.52	4.0	3.24	4.9	4.79	5.5	6.18
	2.5	3.5	2.78	4.2	3.57	5.2	5.27	5.7	6.80
180°	1.0	2.1	2.52	2.7	3.23	3.4	4.77	4.7	6.16
	1.5	2.4	3.14	3.2	4.04	3.9	5.97	4.9	7.70
	2.0	3.0	3.68	3.7	4.74	4.6	6.99	5.2	9.02
	2.1	3.3	3.78	4.0	4.86	4.9	7.18	5.5	9.27
	2.5	3.5	4.16	4.2	5.35	5.2	7.90	5.7	10.20
240°	1.0	2.1	3.35	2.7	4.31	3.4	6.37	4.7	8.21
	1.5	2.4	4.19	3.2	5.39	3.9	7.96	4.9	10.27
	2.0	3.0	4.91	3.7	6.31	4.6	9.32	5.2	12.03
	2.1	3.3	5.04	4.0	6.49	4.9	9.57	5.5	12.35
	2.5	3.5	5.55	4.2	7.14	5.2	10.54	5.7	13.60
270°	1.0	2.1	3.77	2.7	4.85	3.4	7.16	4.7	9.24
	1.5	2.4	4.72	3.2	6.06	3.9	8.95	4.9	11.55
	2.0	3.0	5.52	3.7	7.10	4.6	10.49	5.2	13.53
	2.1	3.3	5.68	4.0	7.30	4.9	10.77	5.5	13.90
	2.5	3.5	6.25	4.2	8.03	5.2	11.86	5.7	15.30
360°	1.0	2.1	5.03	2.7	6.47	3.4	9.55	4.7	12.32
	1.5	2.4	6.29	3.2	8.09	3.9	11.94	4.9	15.40
	2.0	3.0	7.37	3.7	9.47	4.6	13.98	5.2	18.04
	2.1	3.3	7.57	4.0	9.73	4.9	14.36	5.5	18.53
	2.5	3.5	8.33	4.2	10.71	5.2	15.81	5.7	20.40

DIZNE NIZAK UGAO PGP ULTRA SIVE

Dizna	Pritisak bar	Radius met	Protok l/min
2,0 LA	1.7	7.3	5.6
	2.0	7.6	6.0
	2.5	7.9	6.7
	3.0	8.2	7.4
	3.5	8.5	8.0
	4.0	8.8	8.6
2,5 LA	1.7	7.9	7.3
	2.0	8.2	7.9
	2.5	8.8	8.8
	3.0	9.4	9.8
	3.5	10.1	10.6
	4.0	10.4	11.3
3,5 LA	1.7	8.5	9.7
	2.0	8.8	10.3
	2.5	9.1	11.4
	3.0	10.1	12.5
	3.5	10.7	13.3
	4.0	11.0	14.1
4,5 LA	1.7	8.2	11.8
	2.0	8.8	12.7
	2.5	9.1	14.1
	3.0	10.1	15.5
	3.5	10.7	16.6
	4.0	11.0	17.6

